

Ref.	ID	Sec.
G025	24.4	3.1
G030	29.4	3.1
G035	34.4	3.1
G040	39.4	3.1
G045	44.4	3.1
G050	49.4	3.1
G055	54.4	3.1
G060	59.4	3.1
G065	64.4	3.1
G070	69.4	3.1
G075	74.4	3.1
G080	79.4	3.1
G085	84.4	3.1
G090	89.4	3.1
G095	94.4	3.1
G100	99.4	3.1
G105	104.4	3.1
G110	109.4	3.1
G115	114.4	3.1
G120	119.4	3.1
G125	124.4	3.1
G130	129.4	3.1
G135	134.4	3.1
G140	139.4	3.1
G145	144.4	3.1
G150	149.3	5.7
G155	154.3	5.7
G160	159.3	5.7
G165	164.3	5.7
G170	169.3	5.7
G175	174.3	5.7
G180	179.3	5.7
G185	184.3	5.7
G190	189.3	5.7
G195	194.3	5.7
G200	199.3	5.7
G210	209.3	5.7
G220	219.3	5.7
G230	229.3	5.7
G240	239.3	5.7
G250	249.3	5.7
G260	259.3	5.7
G270	269.3	5.7
G280	279.3	5.7
G290	289.3	5.7
G300	299.3	5.7

Ref.	ID	Sec.
P 3	2.8	1.9
P 4	3.8	1.9
P 5	4.8	1.9
P 6	5.8	1.9
P 7	6.8	1.9
P 8	7.8	1.9
P 9	8.8	1.9

Ref.	ID	Sec.
P 010	9.8	1.9
P 010A	9.8	2.4
P 011	10.8	2.4
P 011.2	11	2.4
P 012	11.8	2.4
P 012.5	12.3	2.4
P 014	13.8	2.4
P 015	14.8	2.4
P 016	15.8	2.4
P 018	17.8	2.4
P 020	19.8	2.4
P 021	20.8	2.4
P 022	21.8	2.4
P 022A	21.7	3.5
P 022.4	22.1	3.5
P 024	23.7	3.5
P 25	24.7	3.5
P 25.5	25.2	3.5
P 26	25.7	3.5
P 28	27.7	3.5
P 29	28.7	3.5
P 29.5	29.2	3.5
P 30	29.7	3.5
P 31	30.7	3.5
P 31.5	31.2	3.5
P 32	31.7	3.5
P 34	33.7	3.5
P 35	34.7	3.5
P 35.5	35.2	3.5
P 36	35.7	3.5
P 38	37.7	3.5
P 39	38.7	3.5
P 40	39.7	3.5
P 41	40.7	3.5
P 42	41.7	3.5
P 44	43.7	3.5
P 45	44.7	3.5
P 46	45.7	3.5
P 48	47.7	3.5
P 49	48.7	3.5
P 50	49.7	3.5
P 48A	47.6	5.7
P 50A	49.6	5.7
P 52	51.6	5.7
P 53	52.6	5.7
P 55	54.6	5.7
P 56	55.6	5.7
P 58	57.6	5.7
P 60	59.6	5.7
P 62	61.6	5.7
P 63	62.6	5.7
P 65	64.6	5.7
P 67	66.6	5.7
P 70	69.6	5.7
P 71	70.6	5.7

Ref.	ID	Sec.
P 75	74.6	5.7
P 80	79.6	5.7
P 85	84.6	5.7
P 90	89.6	5.7
P 95	94.6	5.7
P 100	99.6	5.7
P 102	101.6	5.7
P 105	104.6	5.7
P 110	109.6	5.7
P 112	111.6	5.7
P 115	114.6	5.7
P 120	119.6	5.7
P 125	124.6	5.7
P 130	129.6	5.7
P 132	131.6	5.7
P 135	134.6	5.7
P 140	139.6	5.7
P 145	144.6	5.7
P 150	149.6	5.7
P 150A	149.5	8.4
P 155	154.5	8.4
P 160	159.5	8.4
P 165	164.5	8.4
P 170	169.5	8.4
P 175	174.5	8.4
P 180	179.5	8.4
P 185	184.5	8.4
P 190	189.5	8.4
P 195	194.5	8.4
P 200	199.5	8.4
P 205	204.5	8.4
P 209	208.5	8.4
P 210	209.5	8.4
P 215	214.5	8.4
P 220	219.5	8.4
P 225	224.5	8.4
P 230	229.5	8.4
P 235	234.5	8.4
P 240	239.5	8.4
P 245	244.5	8.4
P 250	249.5	8.4
P 255	254.5	8.4
P 260	259.5	8.4
P 265	264.5	8.4
P 270	269.5	8.4
P 275	274.5	8.4
P 280	279.5	8.4
P 285	284.5	8.4
P 290	289.5	8.4
P 295	294.5	8.4
P 300	299.5	8.4
P 315	314.5	8.4
P 320	319.5	8.4
P 335	334.5	8.4
P 340	339.5	8.4

Ref.	ID	Sec.
P 355	354.5	8.4
P 360	359.5	8.4
P 375	374.5	8.4
P 385	384.5	8.4
P 400	399.5	8.4

Ref.	ID	Sec.
S 3	2.5	1.5
S 4	3.5	1.5
S 5	4.5	1.5
S 6	5.5	1.5
S 7	6.5	1.5
S 8	7.5	1.5
S 9	8.5	1.5
S 10	9.5	1.5
S 11.2	10.7	1.5
S 12	11.5	1.5
S 12.5	12	1.5
S 14	13.5	1.5
S 15	14.5	1.5
S 16	15.5	1.5
S 18	17.5	1.5
S 20	19.5	1.5
S 22	21.5	1.5
S 22.4	21.9	2
S 24	23.5	2
S 25	24.5	2
S 26	25.5	2
S 28	27.5	2
S 29	28.5	2
S 30	29.5	2
S 31.5	31	2
S 32	31.5	2
S 34	33.5	2
S 35	34.5	2
S 35.5	35	2
S 36	35.5	2
S 38	37.5	2
S 39	38.5	2
S 40	39.5	2
S 42	41.5	2
S 44	43.5	2
S 45	44.5	2
S 46	45.5	2
S 48	47.5	2
S 50	49.5	2
S 53	52.5	2
S 55	54.5	2
S 56	55.5	2
S 60	59.5	2
S 63	62.5	2
S 65	64.5	2
S 67	66.5	2
S 70	69.5	2
S 71	70.5	2

Ref.	ID	Sec.
S 75	74.5	2
S 80	79.5	2
S 85	84.5	2
S 90	89.5	2
S 95	94.5	2
S 100	99.5	2
S 105	104.5	2
S 110	109.5	2
S 112	111.5	2
S 115	114.5	2
S 120	119.5	2
S 125	124.5	2
S 130	129.5	2
S 132	131.5	2
S 135	134.5	2
S 140	139.5	2
S 145	144.5	2
S 150	149.5	2

Ref.	ID	Sec.
V 15	14.5	4
V 24	23.5	4
V 40	39.5	4
V 55	54.5	4
V 70	69	4
V 85	84	4
V 100	99	4
V 120	119	4
V 150	148.5	4
V 175	173	4
V 225	222.5	6
V 275	272	6
V 325	321.5	6
V 380	376	6
V 430	425.5	6
V 480	475	10
V 585	579	10
V 640	633.5	10
V 690	683	10
V 740	732.5	10
V 790	782	10
V 845	836.5	10
V 950	940.5	10
V 1055	1044	10